


Item No. 13227 SupraNano





Features:

- Embedded Digital Chip
- NFC enabled mobile device or smart phone (iOS 14 or greater required/ Android 12 or greater required) can be used as reader.
- Patents in several countries.
- By using the Supra Digital Chips with a third-party asset management application to achieve product traceability, manufacturer authentication and digitized product information.



Functionality			
RF Protocol	ISO 15693		
Operating Frequency	HF - 13.56 MHz		
Memory Configuration	UID 16 bits, User 2K bits		
R/W Capability	Read / Write		
Performance			
Read Range	Maximum to 5 mm (0.2")		
Quality Guarantee	100 %		
Orientation	Front Face Read		
IP Rating	IP68		
Physical			
Materials	PA 6 + 30 GF		
Mounting System	Universal Use		
Color	Turquoise Blue		
Operational			
	125 °C / 257 °F		
Max Temperature Exposure	125 C/257 F		
Max Temperature Exposure Min Temperature Exposure	-30 °C / -22 °F		
	· · · ·		
Min Temperature Exposure	-30 °C / -22 °F		

	Patent Number	
»	Taiwan Patent:	M573545
»	China Patent:	ZL 201821589819.6
»	Japan Patent:	3219858
»	United States Patent:	10607128
»	German Patent:	602018032891.2
»	Italy Patent:	3627396
»	UK Patent:	10607128

- » Taiwan Patent: 1638765 » China Patent: ZL 2017 1 0821524.0
- » United States Patent: 10235617